

## 악취성분별 흡착능력

Substance	Grade	Substance	Grade	Substance	Grade
Acetaldehyde	3	Butyl chloride	1	Cyclohexene	1
Acetic acid	2	Butyl ether	1	Dead animals	1
Acetic anhydride	1	Butylene	3	Decane	1
Acetone	2	Butyl aldehyde	2	Detergents	1
Acetonitrile	3	Butyric acid	1	Dibromoethane	1
Acetylene	3	Camphor	1	Dichlorobenzene	1
Acrolein	2	Caprylic acid	1	Dichlorodifluoromethane	1
Acrylic Acid	1	Carbolic acid	1	Dichloroethane	1
Acrylonitrile	1	Carbon disulfide	1	Dichloroethylene	1
Adhesives	1	Carbon dioxide	3	Dichloroethyl ether	1
Allyl chloride	1	Carbon monoxide	4	Dichloro-monofluoro methane	2
Amines*	3	Carbontetrachloride	1	Dichloronitroethane	1
Ammonia*	4	Cellosolve acetate	1	Dichloropropane	1
Amyl acetate	1	Chlorine	2	Dichlorotetrafluoroethane	1
Amyl alcohol	1	Chlorobenzene	1	Dicyclopentadiene	1
Amyl ether	1	Chlorobutadiene	1	Diesel fumes	1
Aniline	1	Chloroform	1	Diethyl ketone	1
Antiseptics	1	Chloronitropropane	1	Dimethylaniline	1
Asphalt fumes	1	Chloropicrin	1	Dimethylsulphide	2
Benzene	1	Cigarette smoke	1	Dimethylsulphate	1
Blood odor	2	Citrus&other fruits	1	Dioxane	1
Body Odor	1	Cleaningcompound	1	Dipropyl ketone	1
Bromine	1	Combustion odors	2	Epichlorhydrin	1
Butadiene	2	Corrosive gases*	3	Ethane	4
Butane	3	Creosote	1	Ether	2
Butanone	1	Cresol	1	Ethyl acetate	1
Butyl acetate	1	Cyclohexane	1	Ethyl acrylate	1
Butyl alcohol	1	Cyclohexanol	1	Ethyl alcohol	2
Butyl cellosolve	1	Cyclohexanone	1		

Substance	Grade	Substance	Grade	Substance	Grade
Ethyl benzene	1	Hydrogen chloride*	3	Methyl alcohol	2
Ethyl bromide	1	Hydrogen cyanide*	4	Methyl bromide	2
Ethyl chloride	2	Hydrogen fluoride*	3	Methyl butyl ketone	1
Ethyl formate	2	Hydrogen iodide*	2	Methyl cellosolve	1
Ethyl mercaptan*	2	Hydrogen selenide*	3	Methylcellosolve acetate	1
Ethyl silicate	1	Hydrogen sulphide*	2	Methyl chloride	2
Ethylene	4	Iodine	1	Methyl chloroform	1
Ethylene chlorhydrin	1	Iodoform	1	Methyl ether	2
Ethylene dichloride	1	Isopropyl acetate	1	Methyl ethyl ketone	1
Ethylene oxide	3	Isopropyl alcohol	1	Methyl formate	2
Fertilizer	1	Isopropyl chloride	1	Methyl glycol	1
Fish odors	1	Isopropyl ether	1	Methylisobutyl ketone	1
Monofluorotrichloro	2	Kerosene	1	Methyl mercaptan*	3
-methane		Kitchen odors	1	Methyl cyclohexane	1
Food aromas	1	Krypton delay	1	Methyl cyclohexanol	1
Formaldehyde*	3	Lactic acid	1	Methylcyclohexanone	1
Formic acid*	3	Liquid fuels	1	Methylene chloride	1
Freon 11	1	Liquor odors	1	Monochlorobenzene	1
Freon 12	1	Lubricating oils	1	Monofluoro-trichloro	1
Freon 113	1	and-greases		methane	
Fumes	2	Lysol	1	Naphta	1
Gasoline	1	Menthol	1	Naphtalene	1
Heptane	1	Mercaptanes(l.m)	1	Nicotine	1
Heptylene	1	Mercury vapours*	4	Nitric acid*	3
Hexane	2	Mesityl oxide	1	Nitro benzene	1
Hexene	2	Methyl methacrylate	1	Nitroethane	2
Hexyne	2	ester		Nitrogen dioxide*	3
Hospital odors	1	Methane	4	Nitroglycerine	1
Hydrogen	4	Methyl acetate	2	Nitromethane	2
Hydrogen bromide*	3	Methyl acrylate	1	Nitropropane	1

Substance	Grade	Substance	Grade
Nitrotoluene	1	Sulphur dioxide*	3
Nonane	1	Sulphur trioxide*	3
Octene	1	Sulphuric acid*	3
Octane	1	Tar	1
Ozone	1	Tetrachloroethane	1
Palmitic acid	1	Tetrachloroethylene	1
Paper deteriorations	1	Tetrahydrofuran(THF)	1
Para-dichlorobenzene	1	Thiophene	1
Pentane	2	Toluene	1
Pentanone	1	Toluene di-isocyanate	1
Pentylene	2	Trichloroethylene	1
Pentyne	2	Trichloroethane	1
Perchlorethylene	1	Turpentine	1
Pesticides	1	Urea	1
Phenol	1	Uric acid	1
Phosgene	2	Valeric acid	1
Poison gases*	1	Valeraldehyde	1
Propane	3	Varnish fumes	1
Propionaldehyde	2	Vinegar	1
Propionic acid	1	Vinyl acetate	1
Propyl acetate	1	Vinyl chloride –	1
Propyl alcohol	1	Monomer	
Propyl chloride	1	Xylene	1
Propyl ether	1	Xenon delay	1
Propyl mercaptan	1		
		주1. 등급(흡착량(W/W))	
Repening fruits	3	1등급 극히우수(20~50%)	
Rubber	2	2등급 우수(10~25%)	
Sewer odors*	2	3등급 보통(15%이하)	
Slaughtering odors	2	4등급 불량	
Styrene monomer	1	주2.*는 침착활성탄흡착	